

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




K

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : G06F		A2	(11) International Publication Number: WO 98/34168
			(43) International Publication Date: 6 August 1998 (06.08.98)
(21) International Application Number: PCT/US98/00975		(81) Designated States: CA, JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(22) International Filing Date: 20 January 1998 (20.01.98)		<p>Published</p> <p><i>Without international search report and to be republished upon receipt of that report.</i></p>	
(30) Priority Data: 08/785,321 21 January 1997 (21.01.97) US			
(71)(72) Applicant and Inventor: TOBIN, William, J. [US/US]; 134 Davenport Drive, Stamford, CT 06902 (US).			
(74) Agent: PLEVY, Arthur, L.; Plevy & Associates, 146 Route 1 North, P.O. Box 1366, Edison, NJ 08818-1366 (US).			

(54) Title: METHOD AND SYSTEM FOR CUSTOMIZING MARKETING SERVICES ON NETWORKS COMMUNICATING WITH HYPERTEXT TAGGING CONVENTIONS



(57) Abstract

The present server based communications system provides dynamic customization of hypertext tagged documents presented to clients accessing the system. The customization, which pertains to the content of the documents, is based on the specific requirements of a class to which the client belongs to. The class may be defined by the identity of the source which refers the client to the system. The system utilizes a database which dynamically retrieves stored data in response to a server software tool which configures the data into hypertext tagged documents. The system utilizes a dynamic token scheme to pass the identity of the referring network site from document to document to eventual purchase document accessed by the client through the hypertext tags.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

**METHOD AND SYSTEM FOR CUSTOMIZING
MARKETING SERVICES ON NETWORKS COMMUNICATING
WITH HYPERTEXT TAGGING CONVENTIONS**

CLAIM FOR PRIORITY UNDER 35 U.S.C. 119(e)

Applicant hereby claims priority under 35 U.S.C. 119(e) for the present application based on a first provisional application, USSN 60/017,229, filed January 22, 1996, entitled METHOD FOR MARKETING
5 AN INTERNET CONSUMER SERVICE AND AUTOMATICALLY TRACKING THE INTERNET SITE ENTRY, and a second provisional application, USSN 60/010,372, filed May 22, 1996, entitled METHOD FOR CUSTOMIZING MARKETING SERVICES ON INTERNET SITES, both to the inventor William J. Tobin, Stamford, Connecticut.

10

TECHNICAL FIELD OF THE INVENTION

The invention relates generally to computer based client/server communications, and more particularly, to dynamically customizing the content on server Web site pages in response to distinct classes of clients
15 for hypertext tagging based communications on a network.

15

BACKGROUND ART

The NET or Internet, as is commonly referred to, is basically a network of various types of computers, connected over telecommunication lines, communicating with each other through a protocol known as Transmission
20 Control Protocol/Internet Protocol (TCP/IP) for the purpose of exchanging information. Being "connected to the Internet" can mean anything from sending a simple message to a colleague across the state, to logging into another computer halfway around the world to search and retrieve text,

20

graphics, sounds and even movies. Accessing the Internet requires a computer which has TCP/IP communication capabilities and is physically connected to the Internet with an identifiable Internet address. Many Internet service providers, such as Prodigy, America On Line, and CompuServe, offer access to the Internet through their TCP/IP compatible UNIX computers already connected to the Internet. A subscriber to one of these service providers need only have a personal computer and modem to make a telecommunication connection to the service provider's UNIX computer.

Various information exchanges on the Internet are available through functions such as electronic message exchange (E-mail) and File Transfer Protocol (FTP or ftp.). Electronic mail is a service that allows two people to send messages to each other in a near real time manner. Messages can be sent to one address or multiple addresses. E-mail can also be used to retrieve documents from other computers on the Internet. FTP refers to moving files from one place to another on the Internet. The files may contain electronic documents, images, sounds, etc. Anything stored on the computer can be moved with FTP.

In recent years, a new mode of navigating through the Internet called the World Wide Web (WWW) has emerged which provides a hypertext interface to information on the Internet. The WWW uses the client-server model of computer interaction, with the server being a computer on the Internet providing information, and the client being a computer retrieving the information. The normal way to navigate through the Internet is by moving through directory trees of information, whereby moving from node to node requires providing an address for each node. Likewise if the nodes are

Internet sites, computers on the Internet, movement from one site to another requires providing an address for each site. In contrast, with the hypertext interface information can be stored and retrieved in a non-hierarchical structure. In essence, one can "jump" from one place of information on the Internet to another through a series of "hypertext links" created by someone. A hypertext link can literally allow one to simply select a word, using a mouse or key command, and immediately be transported to another document on the Internet halfway around the world.

In a hypertext interface all the technical aspects of moving from computer to computer are hidden, leaving the client free to explore without interference. Communication through the WWW function is by a HyperText Transport Protocol (HTTP) which uses a HyperText Markup Language (HTML). The HTML uses Uniform Resource Locators (URLs), which are a way of specifying the location of something on the Internet, to make the hypertext links. A standard form of URL address for accessing a particular word 26 marked by HTML, in a chapter called Web-chapter, in a book stored on a hard drive in a WWW server is: <http://dgf21.xpr.cs.wvu/book/Web-chapter.html#word 26>. The http connection at the beginning identifies this address to the Internet as a WWW server.

Access to the WWW requires a software tool typically referred to as a client or browser, which is installed on the computer used to access the Internet, or installed on an Internet service provider's computer on the Internet that offers access to the WWW browser. Browsers may be text based line browsers or, graphical based browsers such as Mosaic or Netscape.

The Internet is being increasingly used for commerce by companies,

with Internet sites or services, providing opportunities to consumers to make purchases. In addition to automated secured transactions, commerce on the Internet requires development of software based marketing tools unique to the Internet structure. Typically, when a client's Web browser points to another Web server via a hypertext link, the URL address of the Web server will display the address of the transferee Internet site that the Web browser will jump to if the hypertext link transfer is executed. As a result, consumers may feel a reluctance to conduct transactions through a transferee Internet site they have not directly signed on with, have not had a long standing relationship with, or have not developed a comfort level with the transferee Internet site's label, brand and Web site content.

Accordingly, there is a need for customized marketing of consumer services through hypertext based communications wherein the content of the hypertext based communications is dynamically customized to take advantage of a consumer's existing familiarity with a specific Internet site marketing partner.

DISCLOSURE OF THE INVENTION

The present invention is a server based communications system operable in a network environment. The system employs a server software tool for presenting HTML tagged information which is customized according to a particular class to which a client, accessing the system, belongs to. The class of the client may be clients referred to the system by a particular network site. The system also includes a database responsive to the server which dynamically retrieves data stored on the system, in accordance with stored requirements which define the customization for the particular class of clients, to provide customized content on HTML documents. Lastly, the

system includes a processing subsystem for manipulating the server and database software tools in response to the HTML tagged requests from the client.

5 Preferably, the server based communications system the server software tool is a Netscape Commerce Server which responds to hypertext protocol and tagging conventions such as HTTP and HTML. Preferably, the database software operating in conjunction with the server software tool is a commercially available database tool, known as RDBMS, which is produced
10 by Oracle software company. It is understood that other commercially available web server and database software tools may be employed as described herein within the scope and intent of the present invention.

15 In accordance with the present invention the sever based communications system is utilized to market consumer services, such as floral and gift services, via HTML documents presented to a client that has accessed the system by referral from another network site. The referral network site can be a partner participating with the host of the server based communications system or a participant seeking to utilize the server based
20 communications to develop its own marketing position.

25 The system presents HTML documents which contain hypertext links, presented as single links or image maps, i.e., grouped links, which are anchored to data that is dynamically retrieved by the database means in response to the particular class to which the client belongs to, i.e., based on the identity of the network site referring the client to the system's server. Such a dynamic retrieval of data facilitates dynamic configuration of content on all anchored HTML documents so as to meet specific requirements of a

marketing participant. Customization can be either a co-branded format, whereby content includes both the host's brand name and the participant's brand name, or a private label format, whereby only the marketing participant's brand name is displayed on the HTML documents presented to clients.

5

The present invention employs a dynamic tokening scheme whereby a token, indicative of the identity of the referring network site, is passed between successive HTML documents so as to track the necessary customization requirements for all HTML documents presented to the client. This dynamic tokening scheme relies on software executables including tokening.cgi and track.cgi, and markup tags such as PORT#, URL, and IMAGEMAP.

10

The server based communications system provides a participating vendor with the ability to supply the system with HTML documents wherein the vendor has access into the system for control over the HTML documents supplied by the vendor. Moreover, the vendor has the ability to transfer HTML documents pertaining to product data, and receiving from the system encrypted files containing orders.

15

20

The server based communications system can be operated in an Internet environment or an Intranet environment where hypertext protocol and tagging conventions are utilized for communications between a client and server. The Intranet environment can be localized to an America Online group of clients designated as Digital City, or a geographic area, or a corporate grouping of employees. In either type of locality, the system can customize the content on HTML documents presented in the Intranet

25

environment in accordance with the specific requirements of the localized Intranet group.

BRIEF DESCRIPTION OF THE DRAWINGS

5 The invention will be better understood with reference to the following illustrative and non-limiting drawings, wherein like graphic elements or features are like numbered, in which:

10 FIG. 1A is a schematic of a typical communications network including single client stations, a local area network (LAN) of client stations and servers interconnected across the Internet.

FIG. 1B is tabular display of typical hardware elements for a client and a server, and respective software elements which configure the hardware elements.

15 FIG. 1C is a PC Flowers & Gifts home page Web site providing Internet consumers a variety of floral and gift purchasing opportunities through hyper graphic or text based links.

FIG. 2 is a PC Flowers & Gifts Web site page, shop by occasion, accessible via a hypertext link from the home page Web site depicted in FIG. 1.

20 FIG. 3 is a PC Flowers & Gifts Web site page, birthday gifts, accessible via a hypertext link from the Web site page depicted in FIG. 2.

FIG. 4 is a PC Flowers & Gifts Web site page, shop by category, accessible via a hypertext link from the home page Web site depicted in FIG. 1.

25 FIG. 5 is a PC Flowers & Gifts Web site page, balloons, accessible via a hypertext link from the Web site page depicted in FIG. 4.

FIG. 6 is a PC Flowers & Gifts Web site page, link, lists, and laughs, accessible via a hypertext link from the home page Web site depicted in FIG.

1.

FIG. 7 is a PC Flowers & Gifts Web site page, how it works, accessible via a hypertext link from the home page Web site depicted in FIG.

1.

5 FIG. 8 is a PC Flowers & Gifts Web site page, e-mail holiday reminder, accessible via a hypertext link from the Web site page depicted in FIG 7.

FIG. 9 is a PC Flowers & Gifts Web site page, item information, accessible via a hypertext link from the home page depicted in FIG. 1 or the Web site page depicted in FIG. 3.

10 FIG. 10 is a PC Flowers & Gifts Web site page, order form, accessible via a hypertext link from the Web site page depicted in FIG. 9.

FIG. 11A is a Web site page of a marketing co-partner, Pathfinder.

Fig. 11B is a Pathfinder Web site page which is accessible via a hypertext link from the Web site page depicted in FIG. 11A.

15 FIGS. 11C-20 show co-branded Web site pages that correlate to the PC Flowers & Gifts Web site pages depicted in FIGS. 1C-10 which are customized with both the PC Flowers & Gifts and Pathfinder brands .

FIG. 21 is a Web site page of a marketing partner, Homearts.

20 FIG. 21B is a Homearts Web site page which is accessible via a hypertext link from the Web site page depicted in FIG. 21A.

FIGS. 21C-30 show private label Web site pages that correlate to the PC Flowers & Gifts Web site pages depicted in FIGS. 1C-10 which are customized solely with the Homearts brand.

25 FIG. 31 is a schematic highlighting key dynamic tokening features in accordance with the present invention.

FIG. 32 is a block diagram of the principal process features of the executable tokening.cgi.

FIG. 33 is a block diagram of the principal process features of the

executable track.cgi.

BEST MODE FOR CARRYING OUT THE INVENTION

Although the present invention can be used in many applications which can utilize customization marketing tools unique to client/server communications across a variety of communication network structures, the present invention is described in its application to PC Flowers & Gifts, an Internet site providing floral and gift services through Web site pages which are dynamically customized to the requirements of other Internet sites referring clients, i.e., consumers, to the PC Flowers & Gifts Web site pages. Accordingly, the present invention will be described in its application to the PC Flowers & Gifts Internet based marketing program whereby participating Internet Service providers or Web sites display PC Flowers & Gifts Web site pages customized to the requirements of the participating Internet Service provider or Web site.

The PC Flowers & Gifts marketing program comprising the floral and gift Web site pages are dynamically customized in accordance with the participating Internet site's requirements which may be co-branded, private label or, a program of labeling unique to the participating Web site. More specifically, the PC Flowers & Gifts Web site pages are customized in both a graphic and a content format to take advantage of the consumer's familiarity with the participating Internet site's position in the marketplace, the consumer's trust in the participating Internet site's established brand name, or the consumer's existing relationship with the participating Web site.

Marketing on the Internet presents problems as to how to customize the participating Web sites marketing services to take advantage of an established market presence on the Internet. Typically, when browsing on

a Web site which is pointing to a Web server, the URL of the Web server appears, rather than the URL of the pointing Web site, which clearly indicates that the consumer will be dealing with a different Internet site, possibly an Internet site the consumer is unfamiliar with. Moreover, a method is needed whereby the identity of an Internet site participating in the marketing program or, an Internet site referring a client or user to the PC Flowers & Gifts Web site, is tracked. The automatic tracking of the participating or referring Internet sites is crucial to transparently customizing Web site pages to take advantage of brand name recognition and customer loyalty.

To resolve the problem of dynamic customization of Internet sites participating in the PC Flowers & Gifts program of marketing services, PC Flowers & Gifts has completely redesigned its Web site pages to be extremely user friendly and its hypertext links to be configured in a database format. The database format of hypertext links enables development of "private label" and "co-branded" floral and gift services that can be customized for many of the major Web sites on the Internet and online services. For, example, if a consumer were to visit one of the private label floral and gift services home page of the Internet site "Homearts", all the graphics and product categories on each of the PC Flowers & Gifts Web site pages, available through a hypertext link from a Homearts Web site, are fully customized in graphic and content format to reflect only the Homearts brand name. As another example, all the graphics and product categories on each of the PC Flowers & Gifts Web site pages, available through a hypertext link from a Pathfinder Web site, are partially customized in graphic and content format to reflect both the PC Flowers & Gifts and Pathfinder brand names. This unique database format of server files accessed through the hypertext

links permits a participating Internet site to host floral and gift services so as to take advantage of the consumer's familiarity with the participating Internet site.

5 The advantages of a floral and gift service customized to the various participating Web sites and online services are among the following: building the brand name and identity of participant's own floral and gift service; taking advantage of the event driven nature of the floral and gift business on a monthly basis to promote the participant's own site and to generate traffic;

10 and, utilizing the content of the PC Flowers & Gifts floral and gift service to the participant's own marketing advantages. In addition, the participating Web sites and online services can utilize the unique capabilities of the PC Flowers & Gifts service such as the e-mail gift reminder service, which is

15 part of the content of the PC Flowers & Gifts service, in order to develop a close relationship with their consumers and gain permission to enter the consumer's mailbox in order to place reminders of various upcoming gift events.

20 Referring now to FIG. 1A there is shown a schematic of a typical communications network 10 including single client stations 13 and 18, a local area network (LAN) 12 of client stations 15, 16 and 17, and servers 19, 20, and 21 interconnected across the Internet 11. A client station may directly transfer into a server or be pointed to one server by another sever. More specifically, assuming for the sake of explanation that server 21 is the

25 PC Flowers & Gifts Web server, the clients may directly transfer across the Internet 11 and communicate with the Web server 21, or the clients may initially transfer across the Internet 11 and communicate with server 18 or 19 which provide a hypertext link to server 21. It is noted that via the

hypertext links on server 18 or 19, the client attains the IP address to server 21 and the Web site location on the Web server residing in server 21.

5 Referring now to FIG. 1B, there is shown a tabular display of typical hardware elements for a client and a server, and respective software elements which configure the hardware elements for operation in accordance with the present invention. A typical client platform includes hardware such as a central processing unit (CPU), e.g. a Pentium microprocessor, RAM, ROM, hard drive storage, modem, and optional removable storage devices
10 such as a floppy drive or a CD ROM drive. The client hardware is configured by software including an operating system, e.g. Windows 95 or NT, and an Internet browser such as Netscape's "Navigator" or Microsoft's "Internet Explorer". A typical server platform includes hardware such as a CPU, e.g. Pentium microprocessor, RAM, ROM, hard drive, modem, and optional
15 removable storage devices, e.g., floppy or CD ROM drive. The server hardware is configured by software including an operating system, e.g. Windows 95 or NT, Web server software, e.g., Netscape Commerce Server, and database software, e.g., Oracle RDBMS.

NON CUSTOMIZED WEB SITE PAGES

Referring now to FIG. 1C there is shown a PC Flowers & Gifts home page Web site page 100 providing Internet consumers a variety of floral and gift purchasing opportunities through graphic based hypertext links. It is noted that the references to Web site page(s) and HTML document are used interchangeably in the art and herein. The graphic link 102 provides a jump to a Web site page detailing gift suggestions while links 103 to 106 provide jumps to Web site pages detailing specific gift offerings. Essentially, these links 103 to 106 are anchored to database server files which are called up by the server to form Web site pages that are customized to the requirements of any participating Internet site. Link 107 provides a jump to a Web site page disclosing a pledge of quality of service and, the footer 118 includes link hypertext link 113, a copyright notice, hypertext link 114, a "Talk To PC Flowers" link, and hypertext link 115, an inquiry link. The flower link 117 is a link to a "shop by occasion" Web site page which is also accessible through link 109. It is noted that the header 116 is solely a PC Flowers & Gifts label which indicates that the client has accessed the Web site page 100 without any hypertext links through a participating Web site requiring 'private label" or "co-branded" customizing, more fully discussed with respect to FIGS. 11C-20 and 21C-30.

A key feature of the present invention involves the image map 101 which is a grouping of hypertext links 108-112. Hypertext links 108-112 provide jumps to Web site pages indicated, respectively, as "shop by occasion", "shop by category", "links, lists and laughs", "how it works", and "greeting cards". Essentially the hypertext links contain anchors to web site pages which are created from combinations of server files. For customizing web site pages which the hypertext links are anchored to, in

accordance with the present invention, a database process is used to access different combinations of files for configuring the customized content on the web site pages the client or user eventually sees when a hypertext link is executed. The image map 101 entails two components, the client's xy coordinate pointer position and the matching of server database files as discussed above. The server calls out appropriate database files to configure the eventual web site page displayed, such as web site page 200. The database files called out depends on variables such as a particular vendor, date, particular occasion, etc.

Referring now to FIG. 2 there is shown a PC Flowers & Gifts Web site page 200, denoted as "shop by occasion", accessible via the hypertext link 108 from the home page Web site 100 depicted in FIG. 1. The Web site page 200 contains an occasion map 201 which includes hypertext links 202 through 213 which provide jumps to Web site pages indicated, respectively, as "birthday", "anniversary", "wedding", "get well", "baby", "romantic/love", "thank you", "congratulations", "thinking of you", "sympathy", "business", and "international". For the occasion map 201, like the home page image map 101, a database process is used to dynamically select the files used to configure a Web site page that a particular hypertext link points to. Also on the Web site page 200 is a sun flower 214 which is a hypertext link to the home page 100.

Referring now to FIG. 3 there is shown a PC Flowers & Gifts Web site page 300, denoted as "birthday gifts", accessible via a hypertext link 202 from the Web site page 200 depicted in FIG. 2. Various Web site pages providing information on purchasing options are available through hypertext links 301-303, and 307. Specific Web site pages with ordering information

are available through hypertext links 304-306.

Referring now to FIG. 4 there is shown a PC Flowers & Gifts Web site page 400, denoted as "shop by category", accessible via a hypertext link 109 from the home page Web site 100 depicted in FIG. 1. The distinguishing content on this Web site page 400 is that the category image map 401 includes hypertext links 402-408 which provide jumps to Web site pages indicated, respectively, as "flowers", "plants", "balloons", "Hickory Farms gourmet foods", "bears by Russ", and "greeting cards on-line. As noted for the discussion pertaining to the home page image map 101, the category image map 401 includes hypertext links which point to Web site pages that are dynamically created as needed by a database process.

Referring now to FIG. 5, there is shown a PC Flowers & Gifts Web site page 500, denoted as "balloons", accessible via a hypertext link 404 from the Web site page 400 depicted in FIG. 4. Web site pages detailing some suggested occasions for purchasing varieties are available through hypertext link groupings 501 through 503. Hypertext links 504 through 506 provide jumps to Web site pages providing a more detailed view of product options and associated ordering information.

Referring now to FIG. 6, there is shown a PC Flowers & Gifts Web site page 600, denoted as "link, lists, and laughs", accessible via a hypertext link 110 from the home page Web site depicted in FIG. 1. The distinguishing content on this Web site page 600 is that the links, lists, and laughs map 601, which includes hypertext links 602-608, provide jumps to Web site pages indicated, respectively, as "holiday information", "the language of flowers", "anniversary etiquette", "birthday flowers & birthstones", "all

about roses", "all about plants & flowers", and "Web sites to visit". As noted for the discussion pertaining to the home page image map 101, the hypertext "links of the lists and laughs" image map 601 point to web site pages which are dynamically created by a database process retrieving appropriate server files.

Referring now to FIG. 7, there is shown a PC Flowers & Gifts Web site page 700, how it works, accessible via a hypertext link 111 from the home page Web site page 100 depicted in FIG. 1. The distinguishing content on this Web site page 700 is the "how it works" image map 701 which includes hypertext links 702-708 which provide jumps to Web site pages indicated, respectively, as "about PC Flowers", "supplier information", "delivery information", "satisfaction guaranteed", and "e-mail gift reminders". As noted for the discussion pertaining to the home page image map 101, the hypertext links of the "how it works" image map 701 point to web site pages that are dynamically created. The Web site page 700 also contains a hypertext link 707 to a Web site page offering Thanksgiving specials and a grouping of hypertext links 708 providing jumps to the same Web site pages as the home image map 101.

Referring now to FIG. 8 there is shown a PC Flowers & Gifts Web site page 800, denoted as an e-mail holiday reminder, accessible via a hypertext link 706 from the Web site page depicted in FIG 7. The Web site page 800 affords potential clients, i.e., Web browser users, an opportunity to provide their e-mail address and request that a gift reminder be sent to that e-mail address prior to one of many holidays or a custom event such as an anniversary, birthday, or special event 801. The e-mail holiday marketing program 801 is unique in that clients provide personal information, i.e.,

email addresses, and allow the server to automatically direct marketing based content to the personal e-mail address provided by the client or user.

Referring now to FIG. 9, there is shown a PC Flowers & Gifts Web site page 900, denoted as item information, accessible via a hypertext link 111 on the home page depicted in FIG. 1 or the hypertext link 305 on the Web site page depicted in FIG. 3. A client is afforded an opportunity to view the product, herein a dozen long stem roses, and ordering options 901, without a vase, and 902, with a crystal vase. Executing a jump under one of the hypertext links 901 or 902 leads the client to Web site page 1001, denoted as order form and shown in FIG. 10. The Web server tracks the particular product being ordered by the particular hypertext link 901 or 902 that the client jumps from onto the order form Web site page 1001. It is noted that encryption is employed respecting transmission of sensitive information transmitted across the Internet. The details of the encryption and exchange of ordering information with vendors offering goods and services is further discussed in greater detail herein below.

CO-BRANDED CUSTOMIZATION

Referring now to FIG. 11A there is shown a Web site page 11A0 of a marketing co-partner, Pathfinder. A hypertext link 11A1 provides a jump to a Web site page 11B0, shown in FIG. 11B, which provides shopping opportunities to the client. The Web site page 11B0 contains hypertext links, 11B2, 11B3, and 11B4, which provide jumps to Web site pages, related to the PC Flowers and Gifts marketing program for floral and gift services, which are co-branded with the participating Web site partner, in this instance Pathfinder.

FIGS. 11C-20 show co-branded Web site pages that correlate to the PC Flowers & Gifts Web site pages depicted in FIGS. 1C-10. The Web site pages of FIGS. 11C-20 are customized with both the PC Flowers & Gifts and the marketing partner's brand, Pathfinder. Referring to the Web site page 1100, shown in FIG. 11C, the header 1116 is a modified version of header 116 with the additional pathfinder label 1116'. In addition, the client's familiarity with the marketing partner's brand is reinforced through the retention of the marketing partner's navigational features via the hypertext link grouping 1102. The modified header 1116 with the pathfinder co-brand 1116' is shown on Web site pages 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900 and 2000. In addition, the navigational features 1102 of the marketing partner is utilized on Web site pages 1800 and 1900.

Still referring to FIG. 11C, like the home page image map 101 discussed above, the home page image map 1101 herein is a grouping of the hypertext links 108-112, which point to Web site pages that are dynamically created to reflect preferences of the marketing partner, which in this instance is Pathfinder. Accordingly, all the server Web site pages accessed through the home page image map 1101 lead to PC Flowers & Gifts Web site pages that have been customized with graphic, text, or navigational features according to Pathfinder's preferences. For example, the header 1116 is customized to include the Pathfinder brand 1116', and the navigational features 1102 of the Pathfinder Internet site are retained. Such a co-branding of Web site pages takes advantage of the client's existing relationship and familiarity with the marketing partner, Pathfinder. In addition, the hypertext link grouping 1103 retains the links 102-107 of the PC Flowers & Gifts Web site pages, however, like the home page image map 1101, the hypertext link grouping 1103 provides jumps to PC Flowers and

Web site pages that are dynamically created to be co-branded with the Pathfinder name brand.

PRIVATE LABEL CUSTOMIZATION

5 Referring to FIG. 21A there is shown a Web site page 21A0 of a marketing partner, Homearts, which prefers a "private label" customization of the PC Flowers & Gifts Web site pages depicted in FIGS. 1C-10. The Web site page 21A0 includes a hypertext link 21A1 to a Homearts' Web site page 21B1 shown in FIG. 21B, which offers marketing services to clients.

10 The hypertext link 21B1 provides a jump to the PC Flowers & Gifts Web site pages depicted in FIGS. 1C-10, but which have been customized in accordance with the marketing partner's private label requirements.

15 FIGS. 21C-30 show private label Web site pages that correlate to the PC Flowers & Gifts Web site pages depicted in FIGS. 1C-10. However, the Web site pages of FIGS. 21C-30 are customized with only the marketing partner's brand, Pathfinder. Referring to the Web site page 2100, shown in FIG. 21C, the client's familiarity with the marketing partner's brand is reinforced through the use of a fully customized header 2116, "Homearts

20 Flowers & Gifts", and a fully customized footer 2117, "Homearts". The fully customized header 1116 and footer 2117 are also used on Web site pages 2200, 2300, 2400, 2500, 2600, 2700, 2800, 2900 and 3000.

25 Still referring to FIG. 21C, like the home page image map 101 discussed above, the home page image map 2101 herein is a grouping of the hypertext links 108-112, wherein the sever files for the linked Web site pages are dynamically created to reflect preferences of the marketing partner, which in this instance is a private label customizing for Homearts.

Accordingly, all the server Web site pages accessed through the home page image map 2101 are anchored to PC Flowers & Gifts Web site pages that are dynamically created with fully customized graphic and text features according to Homearts' preferences. Such a private label customization of the Web site pages takes advantage of the client's existing relationship and familiarity with the marketing partner, Homearts. In addition, the hypertext link grouping 2103 retains the links 102-107 of the PC Flowers & Gifts Web site pages, however, like the home page image map 2101, the hypertext link grouping 2103 provides jumps to PC Flowers and Web site pages that are fully customized with the private label Homearts.

DYNAMIC TOKENING

Referring now to FIG. 31, there is shown a schematic 3100 graphically illustrating a dynamic tokening structure that configures the server platform in accordance with the present invention. It is noted that the present invention technique of dynamically customizing Web site pages employs, among other techniques, dynamic tokening wherein HTML files, i.e., Web site pages, contain special markup tags or tokens. Note that the reference to HTML document is synonymous with the reference to Web site page(s) referred to elsewhere herein. An HTML document is a document which contains HTML coding that provides the hypertext jump capabilities to other HTML documents. When an HTML based document is accessed, an executable is actually called with this HTML document as a parameter. Instead of directly outputting the document, the executable instead reads in the document and scans for special mark-up tags (tokens). Non-token text is simply output to the client, i.e., user. Tokens, however, are dynamically substituted for. This allows information such as where the user's request (i.e., what WWW site) originated from to be passed along as the user navigates through the site.

The idea behind the tokening system is to track the location of the source of orders placed. For example, if Web site A, i.e., a client, agrees to link to Web site B, i.e., a server based Web site, which is selling products on the Web, then the following is possible: Web site B can track the number of orders placed by customers through this link. Web site A can then be paid on a percentage basis of sales generated by this link.

To implement dynamic tokening, every HTML page is read in by the server and output back to the user 3109. As the pages are output, the site 'token' can be appended as a parameter to all of the links. When these modified links are then selected by the user, the page being referenced is read in by the system and output back to the user. Once again, the 'token', which was passed to the original link as a parameter, is appended to all links of this newly referenced page.

Each hypertext link is a call to an executable which performs the function of reading in the page and outputting it back to the user with tokening information passed as parameters. This executable also takes the file name of the page being referenced as a parameter so the executable knows which file to read in, modify, and output. The tokening code 3102 includes the following executables or programs: tokening.cgi 3103, and track.cgi 3104, as shown in the block schematic 3100 of FIG. 31. The software token code and mark up tokens 3105 preferably reside on the server platform which the client is communicating with.

Referring now to FIG. 32 there is shown a block diagram 3200 of the key process features of the executable tokening.cgi. Upon a call via a

hypertext link 3201, the executable tokening.cgi dynamically outputs an HTML page 3206, substituting in information on the original source (the site token) of the system access for special mark-up tokens in the HTML. Note that a call to the tokening.cgi appears in the browser's display of the URL.

5 The tokening.cgi process enables the site token information to be passed from page to page 3206 and to be recorded when an order is eventually placed. Both the source of the access (the site token) 3204 and the HTML file 3205 to be output are passed to "tokening.cgi" as parameters 3203. In HTML, an action field or link calling the tokening executable would appear

10 as: "tokening?site_token&file_name" where "site_token" is a string identifier corresponding to a Web site and "file_name" is the HTML file being accessed. For example, referring to FIG. 2, the URL 2' address contains a similar field "tokening.cgi?80&/occasion.htm.

15 Referring now to FIG. 33 there is shown a block diagram 3300 of the key process features of the executable track.cgi. Under the executable track.cgi, a hit or Web site entry is recorded 3303 in the global database for the given site token, the current date, and the vendor of the home page being accessed. The code then dynamically outputs the home page,

20 substituting in the original source (the site token) of the system access for special mark-up tokens in the HTML (as is similarly done in the tokening executable). Both the source of the access (the site token) 3305 and the HTML file 3306 to be output are passed to "track.cgi" as parameters 3304. The tracking program is preferably called 3301 as an URL 3302 to enter the

25 PC Flowers and Gifts system from other Web sites. The program "track.cgi" records a hit and then dynamically outputs the HTML page 3307 which is referenced by the second parameter to the executable. A call 3301 to the program would appear as: "track.cgi?site_token&file_name" where

"site_token" is a string identifier corresponding to a Web site and "file_name" is the HTML file being output. For example, referring to FIG. 1C, the URL 1' contains such a field "track.cgi?90&/homehtm".

5 MARK-UP TOKENS

Rather than have the user repetitively enter in the tokening executable name and to also to keep the tokening mechanism as transparent as possible, a special "HTML extension" mark-up tag is defined. This mark-up token 3105 appears in links of the static HTML files. This tag is searched for by the tokening executable and, when found, is substituted in with a call to itself (the tokening executable) with the same site token passed along as a parameter. To accommodate the functionality of the above dynamic tokening, the present invention utilizes, among others, mark-up tokens 3105: Port# 3106 and, IMAGEMAP 3107 and URL 3108.

15

The PORT# 3106 mark-up tag or token is defined as an HTML extension and is embedded within the HTML pages that the server accesses. The PORT# token 3106 is the original token defined to perform the task of dynamically passing site information from HTML page to page., i.e., Web site page to Web site page such as from FIG. 1C to FIG. 2. This token 3106 will therefore appear most often in the site's HTML pages. This token should appear as follows in all links to the site's HTML pages, other than order forms, image maps, and form action fields. Order forms, image maps, and form action fields are handled separately with other tokens. Also note that references to graphics should *not* contain this token since graphics do not directly contain links and graphic files are in binary and not text. Regular links (see above) will appear as:

20

25

 </a,

where the "html_page_path_name" is specified from the document root. The system will dynamically append the document root's path name if needed. It is noted that the token PORT# 3106 appears immediately before the path name with no white space or other characters in between the two, and that quotation marks surround the token/path name. For example, the PORT# 80 is carried through in URLs 1'-10' of FIGS. 1C through 10, respectively.

As one can ascertain an implementation of the system is divided into two main portions, designated as the product selection area and the check-out area.

PRODUCT SELECTION AREA

The product selection area must support several design goals:

- It must easily reflect changes in product descriptions;
- It must accommodate changes to prices and shipping methods.

There are principally two approaches to creating such a web site. The first method involves creating individual web pages with hypertext pointers to the

Check-Out area with product selection encoded. The second method involves the use of a database and a program to create the individual web pages dynamically. This method is currently substantially slower, and in a highly successful web site would cause unacceptable performance. In practice, the product descriptions, prices, images, and shipping information change infrequently and can be scheduled to occur at off-peak hours. The PCFlowers site takes an innovative approach to the problem.

In addition, each Product Selection area has 4 key components:

- Private label home page;
- Private label collection selector page;
- Private label collection page;
- Private label product detail page.

PRIVATE LABEL HOME PAGE

Each private label web site has on each page a custom icon that hyperlinks back to the private label partner's web site, a navigation bar that hyperlinks to areas within the private label partner's web site and maintains the look and feel of the partner's web site.

5**PRIVATE LABEL COLLECTION SELECTOR PAGE**

The private label collection selector page is an aggregation of hyperlinks to the private label collection pages. The hyperlinks are accessed through a graphical client-side image map. In order to support the preferences of the vendors and private label partners, the graphic and map coordinates are automatically generated. In this manner, if a partner does not wish to offer products from a particular vendor, the appropriate values are set in the partner database.

10**PRIVATE LABEL COLLECTION PAGE**

By designing a web site generator based on an Abstract Syntax Notation (ASN) that mimics an object-oriented database, the sites' Product Selection Areas can be generated as web pages, while retaining the individual character of each site. The ASN analyzes the creation date of each constituent element of the web page, analyzes the dependencies that exist in creating the resulting web page, and determine if the page needs to be updated. If so, the ASN parser applies the object-oriented method appropriate to that object, and creates the resulting web page element. The elements are assembled into a final web page.

20**PRIVATE LABEL PRODUCT DETAIL PAGE**

The design of the product detail page employs an object-oriented method related to the private label collection page.

25**CHECK OUT**

The check-out area of the site has the following components:

Order page;

Order error page;

Order confirmation page.

5 ORDER PAGE

The order is arrived at from any one of the product detail pages. The site ID, product ID, and any product options are encoded in the hypertext access. The order page prompts the user for sender, recipient, personalization, and payment information. In addition, if any custom offerings are currently in place for this partner site, they are presented at this time. Customizations occur in two ways. First, the user interface may be modified to capture additional customer information such as a coupon number. Each partner can have a separate mechanism for validating coupon numbers, that is invoked at the time the order page is generated. The second customization area is not seen directly by the user, but manifests in pricing incentives, discounts by percentage or fixed dollar amount. When the order page is filled, the custom discount pricing is transmitted to the order confirmation page. The page maintains the look and feel conventions of the partner site by accessing the site ID information encoded in the access. Upon completing the form, the user submits the information, and is transported to either the order confirmation page or the order error page, in the event of missing or improperly formatted data.

ORDER ERROR PAGE

The order error page is generated in the event of missing or malformed data. In this event, the user is offered input areas to correct the missing elements, along with a textual description and explanation of the missing information. The look and feel of the private label partner is maintained on the order error page.

ORDER CONFIRMATION PAGE

The order confirmation page is generated upon successful completion of the Order Page or Order Error Page. The user has displayed a summary of the transaction. At this time, the system also generates an e-mail version of the confirmation information.

IMAGE MAP DYNAMICS

Referring back to FIG. 1C, it is noted that the image map 101 is a grouping of hypertext links 108-112, that provide jumps to Web site pages indicated, respectively, as "shop by occasion", "shop by category", "links, lists and laughs", "how it works", and "greeting cards". This grouping of hypertext links 108-112 is an image mapping of server files which are created dynamically at the time the client or user jumps onto the home page 100. Configuration of the image map 101 entails two components, the client's xy coordinate pointer position and the matching of server database files. The server calls out database map files based on variables such as a particular vendor, date, particular occasion, etc.

Respecting the IMAGEMAP 3107 and URL 3108 mark up tokens, the dynamic tokening scheme necessitates special handling of image maps, such as 101, 1101, etc., since image maps contain anchors to other pages. The implementation of image maps makes use of the PORT# 3106 token as well as the tokens: URL 3108 and IMAGEMAP 3107. The URL token 3108 appears in a map template file while the IMAGEMAP token 3107 appears in the anchor for the image map. The assumption is that image maps are handled in a manner similar to the Netscape Commerce Server's handling. Specifically, Netscape servers reference image maps with the following line: a href="image map path name"> . This differs from NCSA base servers where an actual entry

in the image map configuration file must exist for each image map.

Dynamic image maps, such as 101 or 1101, work in a similar manner to the other tokening mechanisms except for the handling of the map files themselves. The reference (i.e. the anchor) to the image map should appear as: ` `. This line is essentially the same as an image map reference without the dynamic tokening system. The only difference is that instead of a path name of the image map file, the token IMAGEMAP appears (inside of quotation marks).

In the same directory as the file with the above image map file reference, there must be a file name of the same name but with the file extension ".map". For instance, if there is an image map reference in the file "XXX.htm", then in the same directory there must be a file "XXX.map". This file is a generalized version of a standard image map file. In each line of this image map file, the URL should be replaced with the URL token immediately followed by the HTML file that should be displayed. The HTML file should be specified from the document root, i.e., do not include the "/document_root" portion of the full path name. Static image map files are created from this template file for each token as they are encountered. For example, the following lines illustrate a ".map" file.

default ~ URL ~ /error.htm
poly ~ URL ~ /vendor03/index01.htm 127,3 193,3 217,51 193,101 127,101 102,51
poly ~ URL ~ /vendor05/index03.htm 223,54 208,54 313,103 288,151 223,151
poly ~ URL ~ /vendor03/index02.htm 31,56 96,56 120,104 95,151 31,151 6,104
poly ~ URL ~ /vendor04/index04.htm 31,158 96,158 119,206 95,255 31,255 6,206
poly ~ URL ~ /vendor04/giftbskt.htm 225,156 293,156 319,207 293,259 225,259
poly ~ URL ~ /vendor02/home.htm 127,208 192,208 217,258 192,306 127,306
poly ~ URL ~ /vendor03/special.htm 125,106 194,104 221,154 193,204 124,204

5

10

When a file "XXX.htm" with an image map link is referenced from "port" YYY and the IMAGEMAP token is encountered, then the following occurs: The system looks in the same directory as the file "XXX.htm" and searches for a file named "YYYXXX.map". If the file already exists, then it is used as the image map file. If the file does not exist, then the system

15

searches the same directory that the file "XXX.htm" appears in for a file named "XXX.map". If this file is not present, the system returns an error.

Otherwise, the system generates a file named "YYYXXX.map" from the template file and this file is then used as the map file for the access (and all subsequent accesses from port YYY). The reason that the image map files

20

are created dynamically is that the number and names of ports (i.e. site tokens) are not known ahead of time. With this scheme, hard-coded additions do not need to be made every time a port token is added.

25

Since an image map must have a corresponding ".map" file with the same name and in the same directory as the file the image map reference appears in, this scheme allows only one image map per file. In addition, a

Netscape server (or a server which handles image maps in a similar manner to a Netscape server) must be used. For the NCSA server, for example, each image map must have an entry in an image map configuration file as well as an image map file. These entries can not be created dynamically easily since the file can only be edited as 'root' and since the daemon would have to be stopped and restarted (as 'root').

VENDOR PARTICIPATION

Regarding vendor related functions, the overall server set-up is configured in such a manner that the individual vendors have near complete control over their HTML pages and the pulling of their orders (as long as system conventions are adhered to). Despite this control, the system also has standardized, centralized order processing, gift reminders, and system HTML pages. The vendor control, as well as system protection from inadvertent or malicious vendor actions, is provided by individual databases for each vendor as well as restricted accounts and access to directories for each vendor.

A vendor is given a number between 02 and 99. This number identifies the vendor throughout the system and is included in the naming of the vendor database, the vendor FTP and Netscape id's, and the location of

vendor files off of the document root to name a few things. For instance, vendor 02 has a database named "vdb02", login id's "guest02", and HTML files located at "/document_root/vendor02". See FIG. 5 where the URL 5' string displays ".../vendor03/...", which indicates that the vendor's number is 03.

In addition, order numbers are pre-pended with vendor number. So, order number '12' for vendor 02 is referred to as order number '0212' outside of the system. Note that internally though, the order number is stored only as order number '12'. This is due to the fact that the vendor number is implicit in the vendor database in which the order resides. For this example, order number '12' would be stored in database "vdb02". The vendor number '00' is sometimes used as a default for the global database 'globaldb' (e.g. hits and gift reminders) and therefore can not be used for a vendor. The vendor number '01' is reserved for the plants and roses FAQ section. These vendor database files are automatically generated and uploaded to the server via the 'guest01' account.

Vendor's can access the server via FTP and a browser interface. Each vendor has an FTP only account with the id: "guestXX" where XX is the vendor number. The home directory is:

/document_root/vendorXX/vendorXX. As shown by the schematic 3400 of FIG. 34, vendors FTP to the server to perform the following tasks : 1) Upload "prod.dat" file 3401. The "prod.dat" needs to be the vendor's home directory so that the preprocessor code can locate it. The preprocessor will also place the corresponding "prod.imp" and "prod.log" files which it generates in the vendor's home directory; 2) Download encrypted files containing orders 3402. When a vendor pulls orders from his database, the orders are placed in an encrypted file in the vendor's home directory; 3) Upload HTML files 3403. The vendor's HTML files should reside in the directory "/document_root/vendorXX" (one directory up from the vendor's home directory). Sub-directories from this directory may exist but they obviously must be specified in all of the paths found in the actual HTML; and 4) Clean-up 3404 (removing old order files or old HTML files).

When orders are pulled from a database by a vendor, they are placed in a file and the file is encrypted. This encryption of order files is mainly intended to protect credit card numbers from being obtained as the order batch files are transferred across the Internet. Credit card numbers do sit unencrypted in the database. Protection of these numbers is achieved through the use of db2 access permissions as well as restricted FTP and telnet access to the server itself.

ENCRYPTION

A commercially available encryption software, ViaCrypt's PGP software, is used to do this public encryption in the following manner: (1)

- 5 Vendor's are typically create their own public/private key pair and to send the public key to ISSC via means they see appropriate. (2) A military grade key pair is preferred (1024 bit key); ISSC creates its own public/private key pair to be used as the "system administrator's" key, preferably a military grade key pair is selected (1024 bit key). It is noted that for vendors, only
- 10 the public key resides on the server, whereas for ISSC the private key sits on the server but the pass phrase does not. ISSC also stores its private key on a local development server and the vendors store their keys locally on their PC's. (3) ISSC signs the vendor keys when they are received, in this way the id cannot be changed maliciously in the future by someone who
- 15 shouldn't be editing the key. 4) When orders are pulled from the database by the cgi programs run by the vendors, the orders are placed in a file and encrypted with both the vendor's public key and the system administrator's key. The latter key is used so that the encrypted data can be recovered by ISSC if a vendor does something fatal (like forgetting his pass phrase!). 5)
- 20 Orders are encrypted with the wipe option (-w) so that the data file is written over with random data and then deleted. 6) Digital signatures are

not used.

ALTERNATIVE EMBODIMENTS

It should be noted that application of the key features of the present invention disclosed herein may be practiced with client/server based communications across "Intranets". In simple terms, Intranet is a descriptive term being used for the implementation of Internet technologies within a locally defined group of clients or users, rather than for the external connection to the global Internet. The main technology components of the Internet are:- communications protocol, i.e., TCP/IP, providing the ability to connect and communicate between networks and individual desktop devices; the ability to transfer files between point-to-point locations; the ability to provide direct point-to-point communication between individuals or groups; the ability to provide access to information on a one to many basis, on demand; the ability to access existing infrastructure applications; and the ability to deliver the increasing technical complexity to the desktop in a transparent, seamless and intuitive manner.

During the evolution of the Internet, a series of applications have been created to meet the specific needs of each component area. Within each of these areas the survival of the fittest has brought several specific best-of-breed applications and standards. For example, the FTP protocol standard for

file transfer, the Mosaic technology for Web browsing, the MIME standard for transparent distribution of all file formats, the HTML syntax as the language of the Web, etc.

5 The present invention features of marketing through dynamic customization of Web site based HTML tagged documents, as described herein, are readily applicable to Intranets defined by geographic regions such as cities or states. Alternatively, the Intranet can be defined by a particular class of online customers such as "Digital City" customers which are a part

10 of America Online's service. Moreover, several distinct Intranets can be defined by grouping Digital City customers according to geographic areas such as cities. In accordance with the present invention features disclosed herein, the content on the PC Flowers & Gifts Web pages can be customized for each distinct Intranet.

15

It should be understood that the embodiment described herein is merely exemplary and that a person skilled in the art may make many variations and modifications to these embodiment(s) utilizing functionally equivalent elements to those described herein. Any and all such variations

20 or modifications as well as others which may become apparent to those skilled in the art, are intended to be included within the scope of the

invention as defined by the appended claims.

CLAIMS

What is claimed is:

1. A server based communications system operable to present information in response to requests from clients, said server based
5 communications system comprising:

server means for presenting said information which is customized according to a particular class to which said client belongs to and in a format including hypertext protocol and tagging conventions;

10 database means for retrieval of data stored on said server based communications system in accordance with stored requirements which define the customization for said particular class, said database means being responsive to said server means; and

15 processing means for manipulating said server means and said database means in response to said requests from said client, said server means, database means and processor means being mutually responsive to one another.

20 2. The server based communications system in accordance with claim 1, wherein said server means comprises a Web server which communicates via said hypertext protocol and tagging conventions.

3. The server based communications system in accordance with claim 2,

wherein said Web server comprises a Netscape Commerce Server.

4. The sever based communications system in accordance with claim 2,
wherein said Web server comprises presentation of HTML documents which
5 market consumer services to said client.

5. The server based communications system in accordance with claim 4,
wherein said HTML documents comprise hypertext links which are anchored
to data that is dynamically retrieved by said database means in response to
10 said particular class of said client.

6. The server based communications system in accordance with claim 5,
wherein said data that is retrieved in response to said particular class of said
client comprises HTML documents with content customized in response to
15 said particular class of said client.

7. The server based communications system in accordance with claim 5,
wherein said hypertext links are one of an image map of said hypertext links
and a grouping of said hypertext links.
20

8. The server based communications system in accordance with claim 5,

wherein said image map is anchored to HTML documents which are configured dynamically by said database means.

9. The server based communications system in accordance with claim 2,
5 wherein said particular class of client is defined by a particular Web site that referred said client to said server based communications system.

10. The server based communications system in accordance with claim 1,
10 wherein said server means customizes the presented information in one of a co-branded format and a private label format.

11. The server based communications system in accordance with claim
10, wherein said co-branded format comprises web site pages with headers
and footers including both the referring Web site brand name and the host
15 web site brand name.

12. The server based communications system in accordance with claim
10, wherein said private label format comprises web site pages with headers
and footers including only the referring Web site's brand name.
20

13. The server based communications system in accordance with claim 1,

wherein said server means comprises dynamic tokening means for tracking said particular class with said hypertext tagging conventions and influencing the customization of the information presented to said client.

- 5 14. The server based communications system in accordance with claim 13, wherein said dynamic tokening means comprises executable tokening means for dynamically outputting an HTML page which includes substituting in information on the site token of the original source by which said client accessed said server based communications system.

10

15. The server based communications system in accordance with claim 13, wherein said dynamic tokening means comprises executable track means for recording a Web site entry under a particular site token indicative of the source from which said client entered said server based communications system.

15

16. The server based communications system in accordance with claim 13, wherein said dynamic tokening comprises a PORT# means for dynamically passing web site information from HTML document to HTML document successively present to said client.

20

17. The server based communications system in accordance with claim 16, wherein said dynamic tokening comprises IMAGEMAP means for dynamically anchoring image based hypertext links to data stored in said database means in response to said PORT# indicative of said particular class of said client.

18. The server based communications system in accordance with claim 1, wherein said hypertext protocol and tagging conventions comprises HTTP and HTML, respectively.

19. The server based communications system in accordance with claim 1, wherein said database means comprises Oracle database software.

20. The server based communications system in accordance with claim 1, further comprising vendor means providing said server means with HTML documents supplied by a vendor wherein said vendor has access into said server means for control over said HTML documents supplied by said vendor

21. The server based communications system in accordance with claim 20, wherein said control by said vendor comprises steps of transferring HTML documents pertaining to product data, and receiving from said server

encrypted files containing orders.

22. The server based communications system in accordance with claim 1, wherein said information presented to said client is a Web site document
5 affording said client an opportunity to request that said server based communications system provide said client with an e-mail reminder of a future event wherein said client may desire to make a purchase through said server based communications system.

10 23. The server based communications system in accordance with claim 22, wherein said future purchasing event is based on an event selected from the group consisting of holidays, anniversaries, and birthdays.

24. The server based communications system in accordance with claim 1,
15 wherein said processing means comprises means for operating said server based communications system in an Internet based network environment.

25. The server based communications system in accordance with claim 1,
wherein said processing means comprises means for operating said server
20 based communications system in an Intranet based network environment.

26. The server based communications system in accordance with claim 25, wherein said Intranet based network environment comprises an America Online group of clients designated as Digital City.

5 27. The server based communications system in accordance with claim 26, wherein said server means and said database means cooperate to present information with content which is localized for said America Online group of clients designated as Digital City.

10 28. A network server for marketing consumer services by dynamically presenting HTML documents that are customized with content indicative of existing brand name familiarity; said network server comprising:

modem means for receiving input signals to and transmitting output signals from said network server in response to a client having
15 communications access to said network server;

server means for presenting said HTML documents across a network to said client as Web site documents which are customized in response to an identity of a source which referred said client to said network server; said server means being responsive to said modem means;

20 database means for dynamically configuring data stored in said network server in response to said identity of said source which referred said

client; said database means operating in response to said server means; and processing means for manipulating said modem means, server means and database means to cooperate and present said HTML documents.

5 29. The network server in accordance with claim 28, wherein said server means comprises hypertext based tools to permit said network server to operate in an Internet based network environment.

10 30. The network server in accordance with claim 28, wherein said server means comprises hypertext based tools to permit said network server to operate in an Intranet based network environment.

15 31. The network server in accordance with claim 30, wherein said Intranet based network environment comprises a plurality of said client belonging to a distinct class and said HTML documents are customized with local content intended for said distinct class.

20 32. The network server in accordance with claim 31, wherein said distinct class comprises a group of America Online customers designated as Digital City grouped clients.

33. The network server in accordance with claim 28, wherein said server means comprises a Web server software tool configured to present HTML documents which are customized to market consumer services in response to said source which referred said client to said network server.

5

34. The network server in accordance with claim 33, wherein said server means comprises dynamic tokening means for passing said identity of said source which referred said client to said network server for dynamically customizing all successive HTML documents anchored to a current one of said HTML documents.

10

35. The network server in accordance with claim 34, wherein said HTML documents comprise hypertext links which are anchored to further HTML documents that are dynamically customized as needed to present to said client in response to said distinct class of client.

15

36. The network server in accordance with claim 28, wherein said distinct class of client is based on a referring source selected from the group consisting of an Internet service provider and a Web site.

20

37. The network server in accordance with claim 28, wherein said server

means comprises a Netscape commerce server and said database means comprises an oracle database.

38. The network server in accordance with claim 28, wherein said server
5 means presents HTML documents having content dynamically customized in one of a co-branded and private label format.

39. The network server in accordance with claim 38, wherein said co-branded format comprises said content including said network server's host
10 brand name and a brand name of said identity of said source which referred said client to said network server.

40. The network server in accordance with claim 38, wherein said private label format comprises said content being fully customized with brand name
15 and navigation feature requirements set forth by said source which referred said client to said network server.

41. The network server in accordance with claim 28, wherein said server means comprises dynamic tokening means for passing said identity of said source which referred said client to said network server for dynamically
20 customizing as needed said HTML documents presented to said client through hypertext links on any one of said HTML documents.

43. The network server in accordance with claim 41, wherein said hypertext links are grouped as an image map which is anchored to HTML documents that are dynamically created as needed in a customized format that complies with requirements set forth by said source which referred said client to said network server.

44. The network server in accordance with claim 41, wherein said dynamic tokening means comprises an executable tokening means for dynamically outputting, without any input from said client, one of said HTML documents which includes a site token indicative of said identity of said source which referred said client to said network server.

45. The network server in accordance with claim 41, wherein said dynamic tokening means comprises an executable track means for recording an access to said network server from said source referring said client to said network server.

46. The network server in accordance with claim 28, wherein said server means comprises vendor means for presenting to said client vendor based HTML documents dynamically customized in response to said source to allow said client to make purchases and track said source referring said client

through any purchases.

47. In a method for marketing consumer services via client/server based network communications wherein a client is presented by a server with documents which contain HTML tags anchored to other HTML documents, the improvement therewith comprising the steps of:

passing dynamically through said HTML tags the identity of a source which refers said client to said server for presentation of said documents containing said HTML tags; and

customizing dynamically the content of all said documents presented to said client through said HTML tags in response to the identity of said source.

48. The method in accordance with claim 47, wherein said step of passing dynamically comprises a PORT# indicative of said source which is an HTML extension that is embedded within said HTML documents that said server accesses.

49. The method in accordance with claim 48, wherein said step of passing dynamically comprises calling a tokening executable which searches for said

PORT#, and when found substitutes said PORT# with a call to said tokening executable with said PORT# passed as a parameter.

5 50. The method in accordance with claim 48, wherein said step of passing dynamically comprises calling a tracking executable which records an entry onto one of aid HTML documents.

10 51. The method in accordance with claim 47, wherein said HTML tags are configured as an image map grouping of said HTML tags which are anchored to said other HTML documents which are created dynamically in response to said source when a particular one of said HTML tags is executed as a hypertext transfer.

15 52. The method in accordance with claim 47, wherein said step of customizing comprises the step of providing co-branded content on said documents with labeling indicative of both a brand name of said source which refers said client to said server and a brand name of a host of said server.

20 53. The method in accordance with claim 52, wherein said co-branded content comprises headers and footers placed on said documents presented

to said server.

54. The method in accordance with claim 47, wherein said step of customizing comprises private labeled content on said documents with
5 labeling indicative only of said source which refers said client to said server.

55. The method in accordance with claim 54, wherein said private labeled content on said documents comprises headers and footers indicative only of said source which refers said client to said server.

10

56. The method in accordance with claim 47, wherein said step of customizing dynamically comprises configuring content on said documents in accord with requirements set forth by said source which refers said client to said server.

15

57. The method in accordance with claim 47, wherein said step of customizing dynamically comprises presenting an e-mail reminder HTML document permitting said server to subsequently send a reminder e-mail message to said client.


20


58. The method in accordance with claim 57, wherein said e-mail reminder

HTML document permits event driven reminders selected from the group consisting of holidays, anniversaries, birthdays and a personal event date selected by said client.

5 59. The method in accordance with claim 47, further comprising the step accepting into said server HTML documents supplied by a vendor wherein said vendor has control over said HTML documents supplied by said vendor.

10 60. The method in accordance with claim 59, wherein said control by said vendor comprises steps of transferring HTML documents pertaining to product data, and receiving from said server encrypted files containing orders.






CLIENT PLATFORM

HARDWARE

CPU
RAM
ROM
HARD DRIVE
REMOVABLE STORAGE
FLOPPY
CD ROM
MODEM

SOFTWARE

OPERATING SYSTEM
INTERNET BROWSER



SERVER PLATFORM

HARDWARE

CPU
RAM
ROM
HARD DRIVE
REMOVABLE STORAGE
MEDIUM
DEVICE
MODEM

SOFTWARE

OPERATING SYSTEM
WEB SERVER SOFTWARE
DATABASE SOFTWARE

Fig 1.B

PC Flowers & Gifts Home Page

<http://www.pcflowers.com/cgi-bin/track.cgi?908/home.htm>

116 → **PC Flowers & GIFTS** **24 Hour Availability**  Flowers

CONTINUE Suggestions 102

One Dozen Roses 103

Flower Basket 104

Balloon Bouquet 105

Fall Spectak 106

Flowers Pledge 107

shop by occasion 108

shop by delivery 109

links, laughs 110

how it works 111

greeting cards online 112

Optimal viewing of the PC Flowers & Gifts web site requires a web browser that supports authentication, forms, tables, and backgrounds. To place an order, an SSL enabled browser is required.

Copyright 1995
PC Flowers & Gifts
113

Talk To
PC Flowers
114

Inquire About
An Order
115

118 →

100

FIG. 1C

PC Flowers & Gifts: Shop by Occasion

<http://www.pcflowers.com/cgi-bin/tokening.cgi?804/occasion.htm>




FIG. 2

200

PC Flowers & Gifts: Birthday Gifts


http://www.pcflowers.com/cgi-bin/tokening.cgi?80&o_bday.htm

PC Flowers

& GIFTS

SHOP BY OCCASION

Birthday Gifts



FTD Birthday Party Bouquet \$34.95

Start off any birthday celebration with a festive basket filled with colorful Carnations, Pompons, Daisies, Statice, Alstroemeria and greenery.

The FTD Birthday Bouquet comes complete with noisemakers and a Happy Birthday banner!

Delivery: FTD Select Florist From: FTD



Royal Velvet Roses \$34.95-74.95

If, as the poem suggests, your love "is like a red, red Rose," only one flower will do: Royal Velvet. These are the big bright velvety red, cultivated Roses that open quickly to full bloom, then stay fresh longer than others. They're especially welcome when the wind blows cold, because they have the magical ability to brighten a mood and turn everything "rosy." Petals are flawlessly shaped, and your assortment is matched by hand. Stems are super long. Royal Velvet Roses are always in perfect taste, always correct, always delightful. Includes Twelve Long Stem Roses.

Vase Choices: No Vase, Crystal Mikasa Vase

Delivery: 2nd Day FedEx From: Nature's Blooms



Superbatch Assortment \$44.95

Don't just give one bouquet, give a Superbatch! This vivid assortment of riotous color is actually five tremendous bunches of beautiful flowers and one enormous batch of greenery. That's enough flowers for every room in the house!

No two of these giant, field-of-flowers bouquets are exactly alike. It's the home decorator's dream come true. So many flowers, they won't know where to start! It's the largest assortment of four different flower varieties available at a wholesale price. Vase not included.

Delivery: 2nd Day FedEx From: Flowers Direct from the Grower



FIG. 3

5/41

R
300

PC Flowers & Gifts: Shop by Category

...p://www.pcfowers.com/cgi-bin/tokening.cgi?00&category.htm

116- PC Flowers & GIFTS

215

SHOP BY CATEGORY



102 Suggestions

One Dozen
Roses

Flower
Basket

Balloon
Bouquet

Full
Special




FIG. 4

PC Flowers & Gifts: Balloons


<http://www.pcflowers.com/cgi-bin/tokening.cgi?80&vender03&balloons.htm>

116-PC Flowers

& GIFTS

SHOP BY CATEGORY

Balloons



12 Latex Balloons

\$19.95

Balloon bouquets make any festive occasion a celebration!

Choose latex balloons in a rainbow of colors for bouquets that last several hours.

Delivery: ETD Select Florist From: ETD

Some Suggested Occasions Include:



3 Mylar & 6 Latex Balloons

\$24.95


Balloon bouquets make any festive occasion a celebration!

Choose latex balloons in a rainbow of colors that last several hours and shimmery printed mylar balloons that last a few weeks.

Mylar Balloon Choices: Baby Boy, Baby Girl, Congratulations, Get Well, Happy Birthday, Happy Anniversary, I Love You, Thank You, Thinking of You

Delivery: ETD Select Florist From: ETD

Some Suggested Occasions Include:



6 Mylar Balloons

\$29.95

Balloon bouquets make any festive occasion a celebration!

Choose shimmery printed mylar balloons for bouquets that last a few weeks.

Mylar Balloon Choices: Baby Boy, Baby Girl, Congratulations, Get Well, Happy Birthday, Happy Anniversary, I Love You, Thank You, Thinking of You

Delivery: ETD Select Florist From: ETD

Some Suggested Occasions Include:



FIG. 5

7/41

500

502

503

504

505

506

214

5

215

PC Flowers & Gifts: Links, Lists & Laughs

<http://www.pcflovers.com/cgi-bin/tokering.cgi?604/til.htm>




FIG. 6

A
600

Flowers & Gifts: How It Works

71 - <http://www.pc-flowers.com/cgi-bin/tokening.cgi?80&how.htm>




FIG. 7

http://www.pcflovers.com/cgi-bin/tokening.cgi?80
&how_email.htm

PC Flowers & Gifts: About PC Flowers

http://www.pcflovers.com/cgi-bin/tokening.cgi?80
&how_email.htm

110-PC Flowers

& GIFTS
HOW IT WORKS

E-Mail Holiday Reminder

Never miss an important occasion again! With PC Flowers' E-Mail Reminder Service, we'll remember for you. Just choose an occasion from the list or enter your own. Our E-Mail will give you plenty of time to pick out just the right gift.

Holidays

Customized Event
Feb 14 Valentine's Day
Apr 24 Secretaries' Day
May 12 Mother's Day
May 27 Memorial Day

Custom Event

Month/Day

Email Address

Submit

Reset



Copyright 1995
PC Flowers & Gifts

Talk To
PC Flowers

Inquire About
An Order

FIG. 8

http://www.pcflowers.com/cgi-bin/tokening.cgi?cg
1-bin/tokening.cgi?80&vendor03/RR12.htm

91 PC Flowers & Gifts: Item Information

http://www.pcflowers.com/cgi-bin/tokening.cgi?cg
1-bin/tokening.cgi?80&vendor03/RR12.htm

116-PC Flowers

& GIFTS

ITEM INFORMATION

Royal Velvet Roses

\$34.95-74.95

If, as the poem suggests, your love "is like a red, red Rose," only one flower will do: Royal Velvet. These are the big bright velvety red, cultivated Roses that open quickly to full bloom, then stay fresh longer than others. They're especially welcome when the wind blows cold, because they have the magical ability to brighten a mood and turn everything "rosy." Petals are flawlessly shaped, and your assortment is matched by hand. Stems are super long. Royal Velvet Roses are always in perfect taste, always correct, always delightful. Includes Twelve Long Stem Roses.

Delivery: 2nd Day FedEx
From: Nature's Blooms

Choose Vase:

No Vase (\$34.95):

PLACE ORDER \$34.95

Crystal Mikasa Vase (\$74.95):

PLACE ORDER \$74.95



Copyright 1995
PC Flowers & Gifts

Talk To
PC Flowers

Inquire About
An Order

113

114

FIG. 9

11/41

214

901

902

A 900

708

115

https://www.pcflowers.com/cgi-bin/order_gen.cgi?80&RR120&/vendor03/

PC Flowers & Gifts: Order Form

https://www.pcflowers.com/cgi-bin/order_gen.cgi?80&RR120&/vendor03/

PC Flowers
& GIFTS



Order Form

Personalization

Receiver's Name

Personalization Text

Closing

Sender's Name

Receiver Information

Name

Address1

Address2

City

State

Zip

Daytime phone

Sender Information

Name

Address1

Address2

City

State

Zip

Daytime phone

It is imperative that we receive your E-mail address in order to guarantee the successful processing of your order.

E-Mail Address

Delivery Information

Delivery Date

(Month/Day/Year)

Special Instructions

Credit Card Information

☒ MasterCard ☐ Visa ☐ American Express ☐ Discover

Cardholder's Name

Card Number

Expiration Date

(Month/Year)

Place The Order


FIG. 10

12/41



http://pathfinder.com/ © 1997 by C&A/S&D/100417
welcome!

Welcome To Pathfinder

http://pathfinder.com/ © 1997 by C&A/S&D/100417
welcome!



A SAMPLE TIME CODE



© 1997 by C&A/S&D/100417. All rights reserved. Reproduction in whole or in part without permission is prohibited. Pathfinder is a registered trademark of Time Inc. New Media.

11A1

↑
11A2

FIG. 11A

13/41

http://pathfinder.com/ © 1998 C&UASDUTCH-8/
shopping/

Shopping

http://pathfinder.com/ © 1998 C&UASDUTCH-8/
shopping/

Shopping

click for info

Scroll the
Book and
see what's
inside!

GET FREE
STUFF!
CATALOG



Our Stores:


- ☐ Catalog Select
- ☐ CyberShop
- ☐ DreamShop
- ☐ PC Flowers & Gifts
- ☐ PC Travel

Never miss an important occasion again!
PC Flowers & Gifts E-Mail Reminder Service will remember for you.

No matter what the occasion, PC Flowers & Gifts E-Mail Reminder will
give you plenty of time to pick out just the right gift.



Switch and Save
5.9% APR NO ANNUAL FEE
Businesswomen click here



A SERVICE OF PATHFINDER.COM

[LATHING](#) [WATSON](#) [WILL](#) [WATSON](#) [WATSON](#) [WATSON](#)

FIG. 11 B

http://pathfinder.pcflowers.com/

PC Flowers & Gifts Home Page

Saturday, October 31, 1998

PC Flowers

& GIFTS

at PATHFINDER

24 Hour
Availability



Flowers

11111 Suggestions 102


One Dozen
Roses 103

Flower
Basket 104

Balloon
Bouquet 105

Full
Specials 106

107



shop by situation 108

shop by holiday 109

link to 110

how to work 111

greeting cards online 112

Present Pending on
PCF&G Private Label Program

All Orders Fulfilled by
PC Flowers & Gifts Inc.

Optimal viewing of the PC Flowers & Gifts web site requires a web browser that supports authentication, forms, tables, and backgrounds. To place an order, an SSL enabled browser is required.

1131 → © 1995 PCF&G

1141 Talk To PCF&G

1151 ? On An Order

A SERVICE OF PATHFINDER.COM


1102 → SEARCHER HOME WHAT'S NEW HELP SEARCH BULLETIN BOARD CONTACT

FIG. 11C

<http://pathfinder.pcflovers.com/occasion.htm>

PC Flowers & Gifts: Shop by Occasion

<http://pathfinder.pcflovers.com/occasion.htm>



<http://pathfinder.pcflovers.com/bday.htm>

PC Flowers & Gifts: Birthday Gifts

<http://pathfinder.pcflovers.com/bday.htm>
1116
PC


Flowers

& GIFTS

at PATHFINDER

SHOP BY OCCASION

Birthday Gifts



FTD Birthday Party Bouquet


\$34.95

Start off any birthday celebration with a festive basket filled with colorful Carnations, Pompons, Daisies, Statice, Alstroemeria and greenery.

The FTD Birthday Bouquet comes complete with noisemakers and a Happy Birthday banner!

Delivery: FTD Select Florist From: FTD

302 [redacted] 4-303



Royal Velvet Roses

\$34.95-74.95

If, as the poem suggests, your love "is like a red, red Rose," only one flower will do: Royal Velvet. These are the big bright velvety red, cultivated Roses that open quickly to full bloom, then stay fresh longer than others. They're especially welcome when the wind blows cold, because they have the magical ability to brighten a mood and turn everything "rosy." Petals are flawlessly shaped, and your assortment is matched by hand. Stems are super long. Royal Velvet Roses are always in perfect taste, always correct, always delightful. Includes Twelve Long Stem Roses.

Vase Choices: No Vase, Crystal Mikasa Vase

Delivery: 2nd Day FedEx From: Nature's Blooms

302 [redacted] -307



Superbatch Assortment

\$44.95

Don't just give one bouquet, give a Superbatch! This vivid assortment of riotous color is actually five tremendous bunches of beautiful flowers and one enormous batch of greenery. That's enough flowers for every room in the house!

No two of these giant, field-of-flowers bouquets are exactly alike. It's the home decorator's dream come true. So many flowers, they won't know where to start! It's the largest assortment of four different flower varieties available at a wholesale price. Vase not included.

Delivery: 2nd Day FedEx From: Flowers Direct from the Grower

302 [redacted] -307

R/300


FIG. 13

17/41

<http://pathfinder.pcflowers.com/category.htm>

PC Flowers & Gifts: Shop by Category


<http://pathfinder.pcflowers.com/category.htm>




<http://pathfinder.pcflovers.com/vendor03/balloons.htm>

PC Flowers & Gifts: Balloons

<http://pathfinder.pcflovers.com/vendor03/balloons.htm>



Balloons



504

12 Latex Balloons

\$19.95

Balloon bouquets make any festive occasion a celebration!

Choose latex balloons in a rainbow of colors for bouquets that last several hours.

Delivery: FTD Select Florist From: FTD

Some Suggested Occasions Include:



501



505

3 Mylar & 6 Latex Balloons

\$24.95

Balloon bouquets make any festive occasion a celebration!

Choose latex balloons in a rainbow of colors that last several hours and shimmering printed mylar balloons that last a few weeks.

Mylar Balloon Choices: Baby Boy, Baby Girl, Congratulations, Get Well, Happy Birthday, Happy Anniversary, I Love You, Thank You, Thinking of You

Delivery: FTD Select Florist From: FTD

Some Suggested Occasions Include:



502

FIG. 15

1500

11/41

http://pathfinder.pctflowers.com/ll.htm 161 PC Flowers & Gifts: Links, Lists & Laughs http://pathfinder.pctflowers.com/ll.htm

1116-PC Flowers

& GIFTS

at PATHFINDER 11161

LINKS, LISTS & LAUGHS



NEW! Suggestions 102

One Dozen
Roses 103 1103

Flower
Basket 104

Balloon
Bouquet 105 605 604

Full
Specials 106

holiday information 602

thank you cards 603

announcements 604

birthdays & birthstones 605

all about roses 606

all about plants & flowers 607

web sites to visit 608

1601



1600 CATEGORY HOW IT WORKS LINKS, LISTS, LAUGHS E-MAIL FEEDBACK 708

© 1995 PCF&G

Talk To PCF&G

! On An Order

1600

FIG 16

2041

<http://pathfinder.pciflowers.com/inquire.htm>



L
2141



-708

On An Order

114

151

21/41

http://pathfinder.pcfowers.com/how_email.htm

PC Flowers & Gifts: About PC Flowers

http://pathfinder.pcfowers.com/how_email.htm

1116 **PC Flowers**
 & GIFTS
 at PATHFINDER 1116
HOW IT WORKS

E-Mail Holiday Reminder

Never miss an important occasion again! With our E-Mail Reminder Service, we'll remember for you. Just choose an occasion from the list or enter your own. Our E-Mail will give you plenty of time to pick out just the right gift.

Holidays

Customized Event
 Feb 14 Valentine's Day
 Apr 24 Secretaries' Day
 May 12 Mother's Day
 May 27 Memorial Day

Custom Event

Month/Day /

Email Address

Submit

Reset





1116 214      708
 PCF CATEGORY HOW IT WORKS LINKS, LISTS, LOGOS E-MAIL REMINDER

1131 © 1995 PCF&G

1141 Talk To PCF&G

1151 ? On An Order

A SERVICE OF PATHFINDER.COM

1102       

Flowers & Gifts: Item Information

191 - <http://pathfinder.pcflowers.com/vendor03/RR12.htm>

111b - **PC Flowers**
 & GIFTS
 at PATHFINDER
 ITEM INFORMATION

214

Royal Velvet Roses



\$34.95-74.95

If, as the poem suggests, your love "is like a red, red Rose," only one flower will do: Royal Velvet. These are the big bright velvety red, cultivated Roses that open quickly to full bloom, then stay fresh longer than others. They're especially welcome when the wind blows cold, because they have the magical ability to brighten a mood and turn everything "rosy." Petals are flawlessly shaped, and your assortment is matched by hand. Stems are super long. Royal Velvet Roses are always in perfect taste, always correct, always delightful. Includes Twelve Long Stem Roses.

Delivery: 2nd Day FedEx
 From: Nature's Blooms

Choose Vase:

No Vase (\$34.95):

PLACE ORDER \$34.95

Crystal Mikasa Vase (\$74.95):

PLACE ORDER \$74.95

FLOWERS
 DIRECT FROM GROWER

TESTIMONIALS
 INTERVIEWS
 EDUCATIONAL USE
 CONGRATULATIONS
 THINKING OF YOU



OCCASION CATEGORY HOW IT WORKS LINKS, LISTS, LAUGHS E-MAIL REMINDER

FIG. 19A

23/41

Flowers & Gifts: Item Information

191 <http://athfinder.pcflowers.com/vendor03/RR12.htm>




FIG. 19B

https://www.pctflowers.com/cgi-bin/order_gen.cgi?124823-36848/vendor03/

PC Flowers & Gifts: Order Form

https://www.pctflowers.com/cgi-bin/order_gen.cgi?124823-36848/vendor03/

1116 **PC Flowers**
& GIFTS
at PATHFINDER



214

Order Form**Personalization**

Receiver's Name

Personalization Text

Closing

Sender's Name

Receiver Information

Name

Address1

Address2

City

Daytime phone

State Zip

Sender Information

Name

Address1

Address2

City

Daytime phone

State Zip

It is imperative that we receive your E-mail address in order to guarantee the successful processing of your order.

E-Mail Address

Delivery Information

Delivery Date

(Month/Day/Year)

Special Instructions

Credit Card Information

☒ MasterCard ☐ Visa ☐ American Express ☐ Discover

Cardholder's Name

Card Number

Expiration Date
(Month/Year)A
2000

F16, 20

25/41


http://homearts.com/

Welcome to HomeArts

Win a Sony
Maximum
Television
System!



YOUR
COMPUTER SCREEN
WANTS YOU
TO CLICK HERE



search

write to us

guestbook

October 21, 1996

Teddy's Stories →



WINNING@LOSING
Week two of our diet plan
that will have you thinner
in three weeks



21A1

REDBOOK
Good Housekeeping
Country Living
Popular Mechanics



YOUR QUESTIONS ANSWERED
By Dr. Joyce Brothers



ODE TO THE BLACK STUFF
It takes a patient soul to drink a pint of
Guinness Extra Stout



PET RESCUE CLEARINGHOUSE
Why buy a pet when you can adopt one?



ROCKING HORSES
And other collectibles

more stories

FIG. 21A

A
21A2

26/41

<http://homearts.com/market/Main/tocmat1.htm>

Market Place TOC



9
21B1

FIG. 21B

27/41

http://home.snet.net/~pcflowers.com/occasion.htm

PC Flowers & Gifts: Shop by Occasion




FIG. 22

http://homeent.pctflowers.com/no_bday.htm

PC Flowers & Gifts: Birthday Gifts


2116

Flowers
& GIFTS

SHOP BY OCCASION



Birthday Gifts




FTD Birthday Party Bouquet \$34.95

Start off any birthday celebration with a festive basket filled with colorful Camations, Pompons, Daisies, Statice, Alstroemeria and greenery.

The FTD Birthday Bouquet comes complete with noisemakers and a Happy Birthday banner!

Delivery: FTD Select Florist From: FTD 301

302 [redacted] 303



Royal Velvet Roses \$34.95-74.95

If, as the poem suggests, your love "is like a red, red Rose," only one flower will do: Royal Velvet. These are the big bright velvety red, cultivated Roses that open quickly to full bloom, then stay fresh longer than others. They're especially welcome when the wind blows cold, because they have the magical ability to brighten a mood and turn everything "rosy." Petals are flawlessly shaped, and your assortment is matched by hand. Stems are super long. Royal Velvet Roses are always in perfect taste, always correct, always delightful. Includes Twelve Long Stem Roses.

Vase Choices: No Vase, Crystal Mikasa Vase

Delivery: 2nd Day FedEx From: Nature's Blooms

302 [redacted] 307



Superbatch Assortment \$44.95

Don't just give one bouquet, give a Superbatch! This vivid assortment of riotous color is actually five tremendous bunches of beautiful flowers and one enormous batch of greenery. That's enough flowers for every room in the house!

No two of these giant, field-of-flowers bouquets are exactly alike. It's the home decorator's dream come true. So many flowers, they won't know where to start! It's the largest assortment of four different flower varieties available at a wholesale price. Vase not included.

Delivery: 2nd Day FedEx From: Flowers Direct from the Grower

302 [redacted] 307

4 2300

F/G 23

30/41

http://home.snet.net/~flowers/category.htm

PC Flowers & Gifts: Shop by Category




FIG. 24

2100

http://flowers.pcflowers.com/vendor03/
balloons.htm

PC Flowers & Gifts: Balloons

2116 **Flowers**

& GIFTS

SHOP BY CATEGORY

Balloons

244 \$19.95

12 Latex Balloons

Balloon bouquets make any festive occasion a celebration!

Choose latex balloons in a rainbow of colors for bouquets that last several hours.

Delivery: ETD Select Florist From: ETD

Some Suggested Occasions Include:



501

3 Mylar & 6 Latex Balloons

\$24.95

Balloon bouquets make any festive occasion a celebration!

Choose latex balloons in a rainbow of colors that last several hours and shimmering printed mylar balloons that last a few weeks.

Mylar Balloon Choices: Baby Boy, Baby Girl, Congratulations, Get Well, Happy Birthday, Happy Anniversary, I Love You, Thank You, Thinking of You

Delivery: ETD Select Florist From: ETD

Some Suggested Occasions Include:



502

6 Mylar Balloons

\$29.95

Balloon bouquets make any festive occasion a celebration!

Choose shimmering printed mylar balloons for bouquets that last a few weeks.

Mylar Balloon Choices: Baby Boy, Baby Girl, Congratulations, Get Well, Happy Birthday, Happy Anniversary, I Love You, Thank You, Thinking of You

Delivery: ETD Select Florist From: ETD

Some Suggested Occasions Include:



503

2500

1-16-25

3241

http://homearts.pcflovers.com/21.htm

PC Flowers & Gifts: Links, Lists & Laughs





FIG. 26

<http://homearts.pcfowers.com/how.htm>


Flowers & Gifts: How It Works



- GIFT Suggestions** 2102
- One Dozen Roses 2103
 - Flower Basket 2104
 - Balloon Bouquet 2105
 - Thanksgiving Specials 2106

about PC Flowers
 supplier information
 delivery information
 satisfaction guaranteed
 e-mail gift reminder

2701



2700

FIG. 27

http://homearts.pcflowers.com/how_email.htm

PC Flowers & Gifts About PC Flowers



HOW IT WORKS

E-Mail Holiday Reminder

Never miss an important occasion again! With our E-Mail Reminder Service, we'll remember for you. Just choose an occasion from the list or enter your own. Our E-Mail will give you plenty of time to pick out just the right gift.

Holidays

Customized Event
Feb 14 Valentine's Day
Apr 24 Secretaries' Day
May 12 Mother's Day
May 27 Memorial Day

Custom Event

Month/Day

Email Address

Submit

Reset



HOMEARTS | CATEGORY | HOW IT WORKS | LINKS, LISTS, LOGOS | E-MAIL REMINDER

© 1995 PCF&G Talk To PCF&G ? On An Order
HOMEARTS
2117 1141 1151

F16.28

2800

35/41

Flowers & Gifts: Item Information

homearts.pcflowers.com/vendor03/RR12.htm



Royal Velvet Roses



\$34.95-74.95

If, as the poem suggests, your love "is like a red, red Rose," only one flower will do: Royal Velvet. These are the big bright velvety red, cultivated Roses that open quickly to full bloom, then stay fresh longer than others. They're especially welcome when the wind blows cold, because they have the magical ability to brighten a mood and turn everything "rosy." Petals are flawlessly shaped, and your assortment is matched by hand. Stems are super long. Royal Velvet Roses are always in perfect taste, always correct, always delightful. Includes Twelve Long Stem Roses.

Delivery: 2nd Day FedEx
From: Nature's Blooms

Choose Vase:

No Vase (\$34.95):

PLACE ORDER \$34.95

Crystal Mikasa Vase (\$74.95):

PLACE ORDER \$74.95




FIG. 29 A
36/41

Flowers & Gifts: Item Information

h* homearts.pcflowers.com/vendor03/RR12.htm


12
1141
1151
© 1995 PCF&G Talk To PCF&G ? On An Order
HOMEARTS 22117

FIG. 29 B

37/41

https://www.pcflowers.com/cgi-bin/order_gen.cgi?123&23-34&4&/vcard03/

PC Flowers & Gifts Order Form

**Order Form****Personalization**

Receiver's Name _____
Personalization Text _____
Closing _____
Sender's Name _____

Receiver Information

Name _____
Address1 _____
Address2 _____
City _____ State _____ Zip _____
Daytime phone _____

Sender Information

Name _____
Address1 _____
Address2 _____
City _____ State _____ Zip _____
Daytime phone _____

It is imperative that we receive your E-mail address in order to guarantee the successful processing of your order.

E-Mail Address _____

Delivery Information

Delivery Date ☐ / ☐ / ☐ (Month/Day/Year)
Special Instructions _____

Credit Card Information

☒ MasterCard ☐ Visa ☐ American Express ☐ Discover
Cardholder's Name _____
Card Number _____
Expiration Date ☐ / ☐ (Month/Year)

Place The Order

F16130

38/41

3000




FIG. 31

